



Radiator Conditioner

Print date: 30.09.2011

Product code: 271

Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Radiator Conditioner

Relevant identified uses of the substance or mixture and uses advised against

Details of the supplier of the safety data sheet

Company name:	CTP-GmbH	
Street:	Saalfelder Straße 35	
Place:	D-07338 Leutenberg	
Telephone:	+4936734/230-0	Telefax: +4936734/230-22
e-mail:	hotline@ctp-gmbh.de	
Contact person:	Jens Moeller, Dipl.-Chem.	Telephone: +4936734/230-19
Internet:	www.ctp-gmbh.de	

Further Information

Article Number: 33306, 33300, 33301, 33309

SECTION 2: Hazards identification

Classification of the substance or mixture

Indications of danger : Harmful
R-phrases:
Harmful if swallowed.

Label elements

Danger symbols: Xn - Harmful



Xn - Harmful

Hazardous components which must be listed on the label

ethanediol, ethylene glycol

R phrases

22 Harmful if swallowed.

S phrases

02 Keep out of the reach of children.
46 If swallowed, seek medical advice immediately and show this container or label.

SECTION 3: Composition/information on ingredients

Mixtures

Chemical characterization

Additives
corrosion preventing agent

Sum of ingredients:
> 50 %



Radiator Conditioner

Print date: 30.09.2011

Product code: 271

Page 2 of 7

Hazardous components

EC No.	Chemical name	Quantity
CAS No.	Classification	
Index No.	GHS classification	
REACH No.		
203-473-3	ethanediol, ethylene glycol	65 - 70 %
107-21-1	Xn R22	
603-027-00-1	Acute Tox. 4; H302	
	polymers, org. phosphorus compound	1 - 5 %
N/A	Xi R36/38	
	Eye Irrit. 2, Skin Irrit. 2; H319 H315	
	carboxylic acid with ethanolamine	1 - 5 %
N/A	Xi R36/38	
	Eye Irrit. 2, Skin Irrit. 2; H319 H315	
205-483-3	2-aminoethanol, ethanolamine	1 - 5 %
141-43-5	Xn, C R20/21/22-34	
603-030-00-8	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B; H332 H312 H302 H314	
215-540-4	disodium tetraborate decahydrate; borax decahydrate	1 - 5 %
1303-96-4	Repr. Cat. 2 R60-61	
005-011-01-1	Repr. 1B; H360FD	

Full text of R- and H-phrases: see section 16.

SECTION 4: First aid measures

Description of first aid measures

General information

Move victim out of danger zone and lay down.
Take off immediately all contaminated clothing

After inhalation

Move victim to fresh air. Put victim at rest and keep warm.
In case of breathing difficulties administer oxygen. Consult physician.

After contact with skin

After contact with skin, wash immediately with: Water and soap.

After contact with eyes

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 5 minutes. Subsequently consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink large quantities of water.
Give activated carbon, in order to reduce the resorption in the gastro-enteric tract.
Do not induce vomiting. Consult physician.

Most important symptoms and effects, both acute and delayed

Frequently or prolonged contact with skin may cause dermal irritation.
Irritation of eyes: Irritant effect possible.
After ingestion: Harmful.
Irritation and etching.

Indication of any immediate medical attention and special treatment needed

Symptoms: Dizziness. Nausea. unconsciousness.
Nature of Hazard: Heart circulatory collapse.



Radiator Conditioner

Print date: 30.09.2011

Product code: 271

Page 3 of 7

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

Water spray. alcohol resistant foam. Dry extinguishing powder. Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons

High power water jet.

Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Contaminated fire-fighting water must be collected separately.

Contaminated fire-fighting water must not get into the sewerage network.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Provide adequate ventilation.

Remove all sources of ignition.

Avoid contact with skin and eyes.

Do not breathe gas/fumes/vapour/spray.

Environmental precautions

Do not empty into drains or the aquatic environment.

In case of gas being released or leakage into waters, ground or the drainage system, the appropriate authorities must be informed.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Provide adequate ventilation.

SECTION 7: Handling and storage

Precautions for safe handling

Advice on safe handling

Keep container tightly closed in a cool, well-ventilated place.

Advice on protection against fire and explosion

Keep away from sources of ignition. No smoking.

Concentrated vapors are heavier than air. Vapours may form explosive mixtures with air.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place.

Storage temperature: at below °C: 50 °C

Advice on storage compatibility

Should be stored separately from oxidizing agents.

Further information on storage conditions

Hygroscopic product.

Store container under dry conditions and firmly closed.

SECTION 8: Exposure controls/personal protection

Control parameters

Exposure controls



Radiator Conditioner

Print date: 30.09.2011

Product code: 271

Page 4 of 7

Protective and hygiene measures

- Take off immediately all contaminated clothing
- Do not breathe gas/fumes/vapour/spray.
- Avoid contact with skin and eyes.
- When using do not eat, drink or smoke.
- "Wash hands when done working with material; at breaks, lunch, shift changes, etc."

Respiratory protection

- In case of accumulation of fumes/aerosols, provide adequate ventilation.
- In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection

- Tested protective gloves are to be worn:
CR (polychloroprenes, Chloroprene rubber). Butyl rubber.
Material thickness: 0,5 mm
penetration time: >= 8 h

- NBR (Nitrile rubber).
Material thickness: 0,35 mm
penetration time: >= 8 h

Eye protection

- Tightly sealed safety glasses.

Skin protection

- Wear suitable solvent-proof protective clothing according to EN 465.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless, clear
Odour:	odourless

pH-Value (at 20 °C):	9 - 10
----------------------	--------

Changes in the physical state

Ignition temperature:	> 400 °C
Density (at 20 °C):	1,09 g/cm ³
Water solubility: (at 20 °C)	easily soluble.

Test method

SECTION 10: Stability and reactivity

Conditions to avoid

- UV-solarization/sunlight.
- Keep away from moisture.
- Do not store at temperatures over: 50 °C
- No decomposition when used as intended.

Incompatible materials

- Oxidizing agents, strong.
acid, concentrated.
- Alkalis (alkalis), concentrated.

Hazardous decomposition products

- nitrogen oxides (NOx).



Radiator Conditioner

Print date: 30.09.2011

Product code: 271

Page 5 of 7

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

CAS No.	Chemical name				
	Exposure routes	Method	Dose	Species	h
107-21-1	ethanediol, ethylene glycol				
	Acute oral toxicity	ATE	500 mg/kg		
	Acute dermal toxicity	LD50	10600 mg/kg	Kaninchen	
141-43-5	2-aminoethanol, ethanolamine				
	Acute oral toxicity	LD50	1515 mg/kg	Ratte	
	Acute dermal toxicity	LD50	1025 mg/kg	Kaninchen	
	Acute inhalation toxicity	ATE	11 mg/l		
1303-96-4	disodium tetraborate decahydrate; borax decahydrate				
	Acute dermal toxicity	LD50	>10000 mg/kg	rat.	

Irritation and corrosivity

In case of prolonged or frequently repeated skin contact: irritant.

Following eye contact: irritant.

After ingestion: Irritation and etching

SECTION 12: Ecological information

Toxicity

CAS No.	Chemical name				
	Aquatic toxicity	Method	Dose	Species	h
141-43-5	2-aminoethanol, ethanolamine				
	Acute fish toxicity	LC50	150 mg/l	Onchorhynchus mykiss	96
	Acute algae toxicity	ErC50	22 mg/l	Desmodesmus subspicatus	72
	Acute crustacea toxicity	EC50	65 mg/l	Daphnia magna	48
1303-96-4	disodium tetraborate decahydrate; borax decahydrate				
	Acute fish toxicity	LC50	74 mg/l	Onchorhynchus mykiss	96
	Acute algae toxicity	ErC50	158 mg/l	Algae	96
	Acute crustacea toxicity	EC50	1085-1400 mg/l	Daphnia magna	48

Bioaccumulative potential

No indication of bio-accumulation potential.

Partition coefficient n-octanol/water

CAS No.	Chemical name	Log Pow
107-21-1	ethanediol, ethylene glycol	-1,36
141-43-5	2-aminoethanol, ethanolamine	-1,91 (25°C)
1303-96-4	disodium tetraborate decahydrate; borax decahydrate	-1,53

Further information

Do not empty into drains or the aquatic environment.



Radiator Conditioner

Print date: 30.09.2011

Product code: 271

Page 6 of 7

SECTION 13: Disposal considerations

Waste treatment methods

Advice on disposal

- Do not dispose with household waste.
- Arrange about the exact waste code with the local waste disposal expert.
- Have to add a Special treatment in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

Contaminated packaging

- Container must be completely emptied.
- Cleaned containers may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

Not a hazardous material with respect to these transportation regulations.

Inland waterways transport

Other applicable information (inland waterways transport)

Not a hazardous material with respect to these transportation regulations.

Marine transport

Other applicable information (marine transport)

Not a hazardous material with respect to these transportation regulations.

Air transport

Other applicable information (air transport)

Not a hazardous material with respect to these transportation regulations.

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

SECTION 16: Other information

Full text of R-phrases referred to under sections 2 and 3

- | | |
|----------|---|
| 20/21/22 | Harmful by inhalation, in contact with skin and if swallowed. |
| 22 | Harmful if swallowed. |
| 34 | Causes burns. |
| 36/38 | Irritating to eyes and skin. |
| 60 | May impair fertility. |
| 61 | May cause harm to the unborn child. |

Full text of H-Statements referred to under sections 2 and 3

- | | |
|--------|--|
| H302 | Harmful if swallowed. |
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |
| H360FD | May damage fertility. May damage the unborn child. |



Safety Data Sheet
according to Regulation (EU) No. 1907/2006
power max



Radiator Conditioner

Print date: 30.09.2011

Product code: 271

Page 7 of 7

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)